SOUTHWEST RESEARCH INSTITUTE®

Fuels and Lubricants Research Division

JASO M342-92 Smoke Test

Specifications

- JASO
- ISO 13738

Objective

• Evaluate the exhaust smoke formation performance of a lubricant used in two-stroke cycle engines.

Field Service Simulated

• Two-stroke cycle gasoline engine operation such as motorcycle, utility, and outboard engines.

Test Fixture

- A Suzuki generator SX800R, single-cylinder, forced air-cooled, two-stroke cycle, spark-ignition engine is connected to an electrical load absorber.
- A light-absorbing smoke meter is used to measure the smoke density level.

Test Parameters

- The normal running order for a test is reference, candidate, and reference lubricants. A test consists of a fuel flush and three test runs for each lubricant.
- The test fuel/lubricant ratio for the reference and candidate lubricants is 10:1.
- A test run consists of:
- 15-minute burn-off (750 W, 60 Hz, 320°C exhaust gas temperature)
- Cool-down to plug gasket temperature of 60°C
- 20-minute idle at 50 Hz
- Power phase at 50 Hz, 670 W

Test Parts Evaluation

None.

None.

Us	ed	Lul	ori	ca	nt	Ar	ıal	ysi	IS

Pass/Fail Criteria

- Lubricants in each grade correspond to the following two-stroke cycle lubricants:
- oThe FB and EGB grades correspond to lubricants that have high performance in lubricity, but are nonlow-smoke type.
- oThe FC and EGC grades correspond to lubricants typical of low-smoke type lubricants in the Japanese market.
- oThe FD and EGD grades correspond to lubricants that have greater detergency performance as identified in International Standard 13738.



Minimum Exhaust

Smoke Index

45

85

85

Grade

FB, EGB

FC, EGC

FD, EGD

We welcome your inquiries. For additional information, please contact:

Joseph Riou


Engineer 210.522.6266 joseph.riou@swri.org

Fuels and Lubricants Research Division

Southwest Research Institute 6220 Culebra Road • P.O. Drawer 28510 San Antonio, Texas 78228-0510



lubricanttesting.swri.org





Benefiting government, industry and the public through innovative science and technology

210.522.2122 ask@swri.org Like. Share. Follow. Listen.

in f X @ • • •

swri.org