

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

SOUTHWEST RESEARCH INSTITUTE

Office of Automotive Engineering Fuels and Lubricants Research Division and the Powertrain Engineering Division 6220 Culebra Street, P.O. Box 28510 San Antonio, TX 78228-0510 Paul Nemeth Phone: 210 522 5891

MECHANICAL

Valid To: May 31, 2026 Certificate Number: 0702.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform evaluations of automotive fluids, fuels, emissions, automotive components, engine and power train performance and durability using stationary engine dynamometer test stands (light-duty, non-road and heavy-duty) and vehicle dynamometer facilities, and automotive fleets using standards and procedures from the following sources:

ASTM, API, SAE, ACC, CRC, ACEA, CEC, ATIEL, JASO, NMMA, CFR, EPA, CARB, ISO, Passenger Car OEM'S, Heavy-Duty OEM'S, Two-Stroke OEM'S, Lubricant and Fuel Additive Company Proprietary Testing Procedures, and Lubricant and Fuel Marketer Proprietary Testing Procedures.

Fuels and Lubricants Research

- Crankcase Lubricant Evaluations (Gasoline, Diesel, and Alternative Fuels)
- Fuels Performance Evaluations (Gasoline, Diesel, and Alternative Fuels)
- Gear Oil Evaluation
- Specialized/Focused Gasoline, Diesel, Alternative Fuels, and Lubricants Evaluations
- Farm Tractor and Industrial Fluid Evaluations
- Automotive Component Evaluations (Engine Dynamometer/Bench Testing)
- Automatic and Powershift Transmission Evaluations
- Power Train (Driveability and Durability)

Powertrain Engineering

- Dynamometer Procedures
- Light-Duty Vehicle Chassis Dynamometer Emissions and Fuel Economy
- Heavy-Duty Engine Dynamometer Emissions and Fuel Consumption
- Non-Road Engine Dynamometer Emissions and Fuel Consumption

st(s):	Test Method(s)
ssenger Car Motor Oil (PCMO)	
Method for Dynamometer Evaluation of Unleaded Spark-Ignition	ASTM D6201
Engine Fuel for Intake Valve Deposit Formation	
IVA Evaluation of Automotive Engine Oils in the Sequence IVA	ASTM D6891
Spark-Ignition Engines	
Measurement of Effects of Automotive Engine Oils on Fuel	ASTM D8114
Economy of Passenger Cars and Light-Duty Trucks in Sequence	
VIE Spark Ignition Engine	
Measurement of Effects of Automotive Engine Oils on Fuel	ASTM D8226
Economy of Passenger Cars and Light-Duty Trucks in Sequence	
VIF Spark Ignition Engine	
Evaluation of Automotive Engine Oils in the Sequence VIII	ASTM D6709
Spark-Ignition Engine (CLR Oil Test Engine)	
Evaluation of Automotive Engine Oils in the Sequence IIIH,	ASTM D8111
Spark-Ignition Engine	
Evaluation of Rust Preventive Characteristics of Automotive	ASTM D6557
Engine Oils	
Evaluation of Automotive Engine Oils for Inhibition of Deposit	ASTM D8256
Formation in the Sequence VH Spark-Ignition Engine Fueled with	
Gasoline and Operated Under Low-Temperature, Light-Duty	
Conditions	
Evaluation of Performance of Automotive Engine Oils in the	ASTM D8291
Mitigation of Low-Speed, Preignition in the Sequence IX Gasoline	
Turbocharged Direct-Injection, Spark-Ignition Engine	
Determination of Timing-Chain Wear in a Turbocharged,	ASTM D8279
Direct-Injection, Spark-Ignition, Four-Cylinder Engine	
Engine Oil Aeration Evaluation for Dexos® Oil Qualification	GMW17295
(GMAER)	
General Motors Oxidation and Deposit (GMOD)	GM17043
Automobile Gasoline Engine Oils – Firing Fuel Economy Procedure	JASO M366
eavy Duty	
Evaluation of Engine Oils in a High-Speed, Single-Cylinder	ASTM D6750
Diesel Engine – 1K Procedure (0.4 % Fuel Sulfur) and 1N	
Procedure (0.04 % Fuel Sulfur)	
Evaluation of Engine Oils in a High Speed, Single-Cylinder	ASTM D6681
Diesel Engine – Caterpillar 1P Test Procedure	
Evaluation of Heavy-Duty Engine Oils under High Output	ASTM D7549
Conditions – Caterpillar C13 Test Procedure	
Evaluation of Engine Oils for Roller Follower Wear in Light-Duty	ASTM D5966
Diesel Engine	
Evaluation of Diesel Engine Oils in T-8 Diesel Engine	ASTM D5967
Evaluation of Diesel Engine Oils in T-8E Diesel Engine	ASTM D5967
Evaluation of Diesel Engine Oils in the T-11 Exhaust Gas	ASTM D7156
Recirculation Diesel Engine	

Test(s):	Test Method(s):	
Heavy Duty (cont'd)		
Evaluation of Diesel Engine Oils in T-12 Exhaust Gas	ASTM D7422	
Recirculation Diesel Engine		
Evaluation of Aeration Resistance of Engine Oils in Direct-Injected	ASTM D6894	
Turbocharged Automotive Diesel Engine,		
Evaluation of Automotive Engine Oils for Valve-Train Wear	ASTM D7484	
Performance in Cummins ISB Medium-Duty Diesel Engine		
Cummins ISM Test	ASTM D7468	
Evaluation of Diesel Engine Oils in T-13 Diesel Engine	ASTM D8048	
Evaluation of Diesel Engine Oils in DD13 Diesel Engine	ASTM D8074	
Evaluation of Engine Oil Aeration Resistance in a Caterpillar C13	ASTM D8047 (COAT)	
Gears / Axles		
FZG Gear Testing	ASTM D4998	
Standard Test Method for Evaluating the Scuffing Load Capacity	ASTM D5182	
of Oils (FZG Visual Method)		
FZG Pitting Load Carrying Capacity Test for Gear Oils	CEC L108	
Evaluating the Thermal Stability of Manual Transmission	ASTM D5579	
Lubricants in a Cyclic Durability Test		
Load Carrying Capacity Test for Transmission Lubricants	CEC L-07-95	
Load Carrying Capacity Test for High EP Oils	CEC L-84-02	
Method for Indicating Wear Characteristics of Non-Petroleum	ASTM D7043	
and Petroleum Hydraulic Fluids in a Constant Volume Vane Pump		
Method for Evaluation of Moisture Corrosion Resistance of	ASTM D7038 (L-33-1)	
Automotive Gear Lubricants		
Method for Indicating Wear Characteristics of Petroleum Hydraulic	ASTM D6973; TO-4,	
Fluids in a High-Pressure Constant Volume Vane Pump	Section 5	
Evaluation of the Thermal and Oxidative Stability of Lubricating Oils Used for Manual Transmissions and Final Drive Axles	ASTM D5704 (L-60-1)	
Evaluation of Load-Carrying Capacity of Lubricants Used in Hypoid	ASTM D8165 (L-37-1)	
Final-Drive Axles Operated under Low-Speed and High-Torque		
Performance of Gear Lubricants in Axles Under High Speed and Shock Loading	ASTM D7452 (L-42)	
Transmissions		
Caterpillar Friction Properties	TO-4 Section 6	
Automatic Transmission Fluid Testing		
DEXRON®-VI Aeration Test	GMW16444, Appendix I	
Axialrillen-Kugellager (ARKL) (DEXRON®)	VW PV1454;	
Axiairillen-Kugellager (ARKL) (DEXRON®)	GMW16444;	
	GMW 16444, GMW 16974	
Synchronizer Function	CEC L-66-99;	
Synomonizer Function	GMW16612, Appendix O	



Test(s):	Test Method(s):	
Frictional Properties (SAE#2)		
DEXRON®-VI Plate Clutch Friction Test	GMW16444, Appendix C	
DEXRON®-VI Low Speed Clutch Friction Test	GMW16444, Appendix J	
GM Three (3) Day Wear Test	GMW16974, Appendix G	
MERCON® Clutch Friction Durability, Anti Shudder Durability, and μ-v Characterization	MERCON®; MERCON®-V; MERCON®-LV; MERCON® ULV	
Allison Frictional Properties (Graphite)	TES-439, Appendix C	
Allison Frictional Properties (TES-389 Paper)	TES-389, Appendix D	
JASO Friction Characteristic Test Method	JASO M348:2012; JASO T903:2016, Annex A	
Fleet and Fuel		
Top Tier, CARB and EPA Standards, Detergent Gasoline Deposit Control Performance Standards:		
Intake Valve Sticking (IVS)	IVS	
CARB and EPA Procedures:		
Method for Evaluating Unleaded Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector (PFI) Fouling	ASTM D5598	
Method for Vehicle Evaluation of Unleaded Automotive Spark- Ignition Engine Fuel for Intake Valve Deposit Formation – BMW IVD	ASTM D5500	
Marine / Two-Cycle		
NMMA FC-W 115 hp	NMMA FC-W	
JASO:	THE THE TENT	
Clutch Friction	JASO T-903	
Lubricity	JASO M-340	
Tractor		
Tractor – John Deere		
Water Contamination / Dynamic Corrosion using	JDQ: 84	
SAUER-DANFOSS 90 Series Pump		
Powershift Transmission Procedure	JDQ: 94	
Spiral Bevel and Final Drive Gear Wear	JDQ: 95A	
As Performed with a 1400 Series Axle Brake Torque Variation & Friction Retention	JDQ: 96	
John Deere 102B Shear Rig Test Procedure	JDQ: 102B	
New Holland: Jenkins, High Energy Clutch, Driveline Stall		
Evaluation of Hydraulic Fluid using the Denison Test Procedure for Hydraulic Fluid Performance Evaluation on Denison Pumps with T6H Hybrid Pump	Denison A-TP-30533	



FUELS AND LUBRICANTS RESEARCH		
Test(s):	Test Method(s):	
Filter Testing		
Inlet Air Cleaning Equipment for Internal Combustion Engines	ISO 5011	
and Compressors – Performance Testing		
Multi-Pass Method for Evaluating Filtration Performance of a	ISO 16889	
Filter Element		
Full-Flow Lubricating Oil Filters for Internal Combustion	ISO 4548, Part 12	
Engines – Part 12: Filtration Efficiency using Particle Counting		
and Contaminant		
Filtration Efficiency using Particle Counting and Contaminant	ISO 19438	
Retention Capacity		

POWERTRAIN ENGINEERING		
Test(s):	Test Method(s):	
Emission Testing		
Light-Duty Vehicle Fuel Economy Test TIP 07-022	40 CFR Part 600; 40 CFR Part 86, Subpart B	
Particle Number Emissions TIP 07-051	Swiss Ordinance on Air Pollution Control (OAPC), Appendix 4, Section 31, 32; Particle Number Measurement in Accordance with European Union Regulation No. 49, 83, & 96	
Engine Emissions Testing Procedures TIP 07-049	40 CFR Part 1065	
Recreational & Personal Watercraft (RCD II) TIP 07-061 and 07-061-01	2013/53/EU	
Transmission Spin Loss Test	SwRI TIP 03-2103	
Light Duty Laboratory		
Light-Duty Exhaust Emission Test for Gasoline and Diesel- Engine Equipped Vehicle Using Test Equipment at Chassis Dyno 7, 8, and 9	SwRI TIP 07-022	
Battery Testing		
Test Method for Evaluating Thermal Runaway Fire Propagation in Battery Energy Storage Systems	UL9540A	





Accredited Laboratory

A2LA has accredited

SOUTHWEST RESEARCH INSTITUTE

San Antonio, TX

for technical competence in the field of

Mechanical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017

General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system

(refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 3rd day of July 2024.

Mr. Trace McInturff, Vice President, Accreditation Services For the Accreditation Council Certificate Number 0702.01

Valid to May 31, 2026